



Veterinary Implants **CATALOG**

 SAARSTABE 13, 68623 LAMPERTHEIM GERMANY

 +49 179 6930643

 +49 176 20793624

Manufacturer & Supplier of
High Quality, Inventive, Low Cost

- ▶ Orthopedic Implants
- ▶ Veterinary Implants
- ▶ Orthopedic Surgical Instruments
- ▶ Orthopedic Surgical Instruments Set



CONTENTS

Products Name	Page No
Bone Plates	I - 16
Bone Nails	17 - 18
Bone Screws	19 - 22
Implants Set	23 - 24
Locking Cuttable Plates	I-2
2 mm Locking Cuttable Plates	
2.4 mm Locking Cuttable Plates	
2.7 mm Locking Cuttable Plates	
2.7 mm Locking Cuttable Plates	
Locking Cuttable T Plates	3
2 mm Locking Cuttable T Plates	
2.4 mm Locking Cuttable T Plates	
2.7 mm Locking Cuttable T Plates	
3.5 mm Locking Cuttable T Plates	
Locking Supracondylar Plates (Left and Right)	4
2 mm Locking Supracondylar Plates	
2.4 mm Locking Supracondylar Plates	
2.7 mm Locking Supracondylar Plates	
3.5 mm Locking Supracondylar Plates	
Locking Compression Plates	5-6
2 mm Locking Compression Plates	
2.4 mm Locking Compression Plates	
2.7 mm Locking Compression Plates	
3.5 mm Locking Compression Plates	
5 mm Locking Narrow Compression Plates	
5 mm Locking Broad Compression Plates	
TPLO Plates (Left and Right)	7
2.4 mm TPLO Plate	
2.7 mm TPLO Plate	
3.5 mm TPLO Plate	

Locking Reconstruction Plates	8
2.7 mm Locking Reconstruction Plates	
2.7 mm Locking Reconstruction Plates Curved	
3.5 mm Locking Reconstruction Plates	
3.5 mm Locking Reconstruction Plates Curved	
Locking T Plates 2 Head Holes	9
2 mm Locking T Plates, 2 Head Holes	
2.4 mm Locking T Plates, 2 Head Holes	
2.7 mm Locking T Plates, 2 Head Holes	
3.5 mm Locking T Plates, 2 Head Holes	
Locking T Plates Clover Leaf	10
2 mm Locking T Plates Clover Leaf	
2.4 mm Locking T Plates Clover Leaf	
2.7 mm Locking T Plates Clover Leaf	
3.5 mm Locking T Plates Clover Leaf	
Locking Pancarpal Arthrodesis Plates	11
2/2.7 mm Locking Pancarpal Arthrodesis Plate Length 90 mm	
2.7/3.5 mm Locking Pancarpal Arthrodesis Plate Length 110 mm	
Locking Pantarsal Arthrodesis Plates (Left and Right)	12
2/2.7 Locking Pantarsal Arthrodesis Plates, Length 90 mm	
2.7/3.5 Locking Pantarsal Arthrodesis Plates, Length 120 mm	
Dynamic Compression Plates	13-14
2 mm Dynamic Compression Plates	
2.4 mm Dynamic Compression Plates	
2.7 mm Dynamic Compression Plates	
3.5 mm Dynamic Compression Plates	
4.5 mm Narrow Dynamic Compression Plates	
4.5 mm Broad Dynamic Compression Plates	
Locking Acetabular Plates	15
2 mm Locking Acetabular Plates	
2.4 mm Locking Acetabular Plates	
2.7 mm Locking Acetabular Plates	
3.5 mm Locking Acetabular Plates	
Toggle Pins / Suture Buttons	16

Toggle Pins	
Suture Buttons	
Veterinary Straight Nails	17
6/7/8 mm Veterinary Straight Nails	
Veterinary Angled Nails	18
7/8/9 mm Veterinary Angled Nails	
Locking SelfTapping Screws	19
2/2.4/2.7/3.5/5 mm Locking Self Tapping Screws	
Cortical Screws	20
2/2.4/2.7/3.5/4.5 mm Cortical Screws	
Locking Cancellous Screws	21
3.5/4/5/6.5 mm Locking Cancellous Screws	
Spine Screws	22
MonoAxial Screws MonoAxial Reduction Screws	
Implant Set	23-24
Screws Box , Cuttable Locking Plates, Bridge Plates, TPLO Plates	


Locking Cuttable Plates

2 mm Locking Cuttable Plates
2.4 mm Locking Cuttable Plates

2.7 mm Locking Cuttable Plates
3.5 mm Locking Cuttable Plates

Each Plate has 20 holes
Plate can cut according to required length

available in **Titanium**



PROFILE

Items	2 mm Plate	2.4 mm Plate	2.7 mm Plate	3.5 mm Plate
Thickness	2	2.5	2.5	3
Width	5	6	7	9
Hole Spacing	6	7	9	11
Screw	2 mm Locking	2.4 mm Locking	2.7 mm Locking	3.5 mm Locking

CODES

Size (mm)	Holes	Length (mm)	TI (codes)
2	20	120	LCPS20
2.4	20	140	LCPS24
2.7	20	180	LCPS27
3.5	20	240	LCPS35

Locking Cuttable Plates



Locking Cuttable T Plates

2 mm Locking Cuttable T Plates

2.7 mm Locking Cuttable T Plates


2.4 mm Locking Cuttable T Plates

3.5 mm Locking Cuttable T Plates

Each Plate has 7 holes

Plate can cut according to required length

available in **Titanium**



PROFILE

Items	2 mm Plate	2.4 mm Plate	2.7 mm Plate	3.5 mm Plate
Thickness	2	2.5	2.5	3
Width	6	7	8	10
Total Length	47	55	62	77
Screw	2 mm Locking	2.4 mm Locking	2.7 mm Locking	3.5 mm Locking

CODES

Size (mm)	Holes	Length (mm)	TI (codes)
2	7	47	LCTP20
2.4	7	55	LCTP24
2.7	7	62	LCTP27
3.5	7	77	LCTP35

Locking Supracondylar Plates

2 mm Locking Supracondylar Plates


2.4 mm Locking Supracondylar Plates

2.7 mm Locking Supracondylar Plates

3.5 mm Locking Supracondylar Plates

Left & Right Side

available in **Titanium**



PROFILE

Items	2 mm Plate	2.4 mm Plate	2.7 mm Plate	3.5 mm Plate
Thickness	1.5	2	2	2.5
Width	6	7	8	10
Hole Spacing	8	9	11	13
Screw	2 mm Locking 2 mm Cortical	2.4 mm Locking 2.4 mm Cortical	2.7 mm Locking 2.7 mm Cortical	3.5 mm Locking 3.5 mm Cortical 4 mm Cancellous

CODES

Holes	Left Codes				Right Codes			
	2 mm	2.4 mm	2.7 mm	3.5 mm	2 mm	2.4 mm	2.7 mm	3.5 mm
4	LSP01L	LSP06L	LSP011L	LSP016L	LSP01R	LSP06R	LSP011R	LSP016R
5	LSP02L	LSP07L	LSP012L	LSP017L	LSP02R	LSP07R	LSP012R	LSP017R
6	LSP03L	LSP08L	LSP013L	LSP018L	LSP03R	LSP08R	LSP013R	LSP018R
7	LSP04L	LSP09L	LSP014L	LSP019L	LSP04R	LSP09R	LSP014R	LSP019R
8	LSP05L	LSP10L	LSP015L	LSP020L	LSP05R	LSP10R	LSP015R	LSP020R

Locking Compression Plates

2 mm Locking Compression Plates

2.4 mm Locking Compression Plates

2.7 mm Locking Compression Plates

3.5 mm Locking Compression Plates

5 mm Locking Narrow Compression Plates

5 mm Locking Broad Compression Plates

available in **Titanium** & **SS 316L**



Locking Compression Plates

PROFILE

Items	2 mm Plate	2.4 mm Plate	2.7 mm Plate	3.5 mm Plate	5 mm Narrow Plate	5 mm Broad Plate
Thickness	2	2.5	2.5	3.5	4.5	6
Width	6	7	9	11	13.5	17.5
Hole Spacing	8	9	11	13	18	18
Screw	2 mm Locking 2 mm Cortical	2.4 mm Locking 2.4 mm Cortical	2.7 mm Locking 2.7 mm Cortical	3.5 mm Locking 3.5 mm Cortical 4 mm Cancellous	5 mm Locking 4.5 mm Cortical 5 mm Cancellous	5 mm Locking 4.5 mm Cortical 5 mm Cancellous

CODES

	SS Codes					
Holes	2 mm	2.4 mm	2.7 mm	3.5 mm	5 mm Narrow	5 mm Broad
4	LCP01S	LCP11S	LCP21S	LCP31S	LCP41S	LCP51S
5	LCP02S	LCP12S	LCP22S	LCP32S	LCP42S	LCP52S
6	LCP03S	LCP13S	LCP23S	LCP33S	LCP43S	LCP53S
7	LCP04S	LCP14S	LCP24S	LCP34S	LCP44S	LCP54S
8	LCP05S	LCP15S	LCP25S	LCP35S	LCP45S	LCP55S
10	LCP06S	LCP16S	LCP26S	LCP36S	LCP46S	LCP56S
12	LCP07S	LCP17S	LCP27S	LCP37S	LCP47S	LCP57S
14	LCP08S	LCP18S	LCP28S	LCP38S	LCP48S	LCP58S
16	LCP09S	LCP19S	LCP29S	LCP39S	LCP49S	LCP59S
18	LCP10S	LCP20S	LCP30S	LCP40S	LCP50S	LCP60S

	Titanium Codes					
Holes	2 mm	2.4 mm	2.7 mm	3.5 mm	5 mm Narrow	5 mm Broad
4	LCP01T	LCP11T	LCP21T	LCP31T	LCP41T	LCP51T
5	LCP02T	LCP12T	LCP22T	LCP32T	LCP42T	LCP52T
6	LCP03T	LCP13T	LCP23T	LCP33T	LCP43T	LCP53T
7	LCP04T	LCP14T	LCP24T	LCP34T	LCP44T	LCP54T
8	LCP05T	LCP15T	LCP25T	LCP35T	LCP45T	LCP55T
10	LCP06T	LCP16T	LCP26T	LCP36T	LCP46T	LCP56T
12	LCP07T	LCP17T	LCP27T	LCP37T	LCP47T	LCP57T
14	LCP08T	LCP18T	LCP28T	LCP38T	LCP48T	LCP58T
16	LCP09T	LCP19T	LCP29T	LCP39T	LCP49T	LCP59T
18	LCP10T	LCP20T	LCP30T	LCP40T	LCP50T	LCP60T

Locking TPLO Plates

2.4 mm Locking TPLO Plate

2.7 mm Locking TPLO Plate

3.5 mm Locking TPLO Plate

Left & Right Side

available in **Titanium**



PROFILE

Items	2.4 mm Plate	2.7 mm Plate	3.5 mm Plate	3.5 mm Broad Plate
Thickness	2	2.5	3	3
Width	7	8	10	13
Total Length	50/58	55/64	67/77	75
Screw	2.4 mm Locking 2.4 mm Cortical	2.7 mm Locking 2.7 mm Cortical	3.5 mm Locking 3.5 mm Cortical 4 mm Cancellous	3.5 mm Locking 3.5 mm Cortical 4 mm Cancellous

CODES

	Left Codes			Right Codes		
Holes	2.4 mm	2.7 mm	3.5 mm	2.4 mm	2.7 mm	3.5 mm
3	TPLO1L	TPLO3L	TPLO5L	TPLO1R	TPLO3R	TPLO5R
4	TPLO2L	TPLO4L	TPLO6L	TPLO2R	TPLO4R	TPLO6R

Locking Reconstruction Plates


2.7 mm Locking Reconstruction Plates

3.5 mm Locking Reconstruction Plates

2.7 mm Locking Reconstruction Plates Curved

3.5 mm Locking Reconstruction Plates Curved

available in **Titanium** & **SS 316L**



PROFILE

Items	2.7 mm Plate	3.5 mm Plate	2.7 mm Curved Plate	3.5 mm Curved Plate
Thickness	2.5	3	2.5	3
Width	8	10	8	10
Hole Spacing	8	12	8	12
Screw	2.7 mm Locking 2.7 mm Cortical	3.5 mm Locking 3.5 mm Cortical 4 mm Cancellous	2.7 mm Locking 2.7 mm Cortical	3.5 mm Locking 3.5 mm Cortical 4 mm Cancellous

CODES

Holes	SS codes				Titanium codes			
	2.7 mm Straight	3.5 mm Straight	2.7 mm Curved	3.5 mm Curved	2.7 mm Straight	2.7 mm Straight	2.7 mm Curved	3.5 mm Curved
6	LRP01S	LRP08S	LRP15S	LRP22S	LRP01T	LRP08T	LRP15T	LRP22T
8	LRP02S	LRP09S	LRP16S	LRP23S	LRP02T	LRP09T	LRP16T	LRP23T
10	LRP03S	LRP10S	LRP17S	LRP24S	LRP03T	LRP10T	LRP17T	LRP24T
12	LRP04S	LRP11S	LRP18S	LRP25S	LRP04T	LRP11T	LRP18T	LRP25T
14	LRP05S	LRP12S	LRP19S	LRP26S	LRP05T	LRP12T	LRP19T	LRP26T
16	LRP06S	LRP13S	LRP20S	LRP27S	LRP06T	LRP13T	LRP20T	LRP27T
18	LRP07S	LRP14S	LRP21S	LRP28S	LRP07T	LRP14T	LRP21T	LRP28T

Locking T Plates 2 Head Holes

2 mm Locking T Plates, 2 Head Holes

2.7 mm Locking T Plates, 2 Head Holes

2.4 mm Locking T Plates, 2 Head Holes

3.5 mm Locking T Plates, 2 Head Holes

available in **Titanium**



PROFILE

Items	2 mm Plate	2.4 mm Plate	2.7 mm Plate	3.5 mm Plate
Thickness	1.5	2	2	2.5
Width	6	7	8	10
Hole Spacing	8	10	11	13
Screw	2 mm Locking 2 mm Cortical	2.4 mm Locking 2.4 mm Cortical	2.7 mm Locking 2.7 mm Cortical	3.5 mm Locking 3.5 mm Cortical

CODES

Holes	2 mm	2.4 mm	2.7 mm	3.5 mm
3	LTP2H01	LTP2H05	LTP2H09	LTP2H13
4	LTP2H02	LTP2H06	LTP2H10	LTP2H14
5	LTP2H03	LTP2H07	LTP2H11	LTP2H15
6	LTP2H04	LTP2H08	LTP2H12	LTP2H16

Locking T Plates Clover Leaf


2 mm Locking T Plates Clover Leaf

2.4 mm Locking T Plates Clover Leaf

2.7 mm Locking T Plates Clover Leaf

3.5 mm Locking T Plates Clover Leaf

available in **Titanium**



PROFILE

Items	2 mm Plate	2.4 mm Plate	2.7 mm Plate	3.5 mm Plate
Thickness	1.5	2	2	2.5
Width	6	7	8	10
Hole Spacing	8	9	11	13
Screw	2 mm Locking 2 mm Cortical	2.4 mm Locking 2.4 mm Cortical	2.7 mm Locking 2.7 mm Cortical	3.5 mm Locking 3.5 mm Cortical 4 mm Cancellous

CODES

Holes	2 mm	2.4 mm	2.7 mm	3.5 mm
3	LTPCL01	LTPCL05	LTPCL09	LTPCL13
4	LTPCL02	LTPCL06	LTPCL10	LTPCL14
5	LTPCL03	LTPCL07	LTPCL11	LTPCL15
6	LTPCL04	LTPCL08	LTPCL12	LTPCL16

Locking Pancarpal Arthrodesis Plates

2/2.4 mm Locking Pancarpal Arthrodesis Plates

2.4/2.7 mm Locking Pancarpal Arthrodesis Plates

2.7/3.5 mm Locking Pancarpal Arthrodesis Plates

available in **Titanium** & **SS 316L**



CODES | PROFILE

Size (mm)	Thickness (mm)	Holes	Length (mm)	Codes
2/2.4	2.5	9	90	LPAP1
2/2.4	2.5	11	97	LPAP2
2.4/2.7	2.5	9	97	LPAP3
2.4/2.7	2.5	11	115	LPAP4
2.7/3.5	3	9	110	LPAP5
2.7/3.5	3	11	120	LPAP6

Locking Pantarsal Arthrodesis Plates

2/2.7 Locking Pantarsal Arthrodesis Plates, Length 90 mm

2.7/3.5 Locking Pantarsal Arthrodesis Plates, Length 120 mm

Left & Right Side

available in **Titanium**



CODES | PROFILE

Size	Thickness (mm)	Direction	Length (mm)	TI (codes)
2/2.7 mm	2	Left	90	LPAPA1L
2/2.7 mm	2	Right	90	LPAPA1R
2.7/3.5 mm	2.5	Left	120	LPAPA2L
2.7/3.5 mm	2.5	Right	120	LPAPA2R

Dynamic Compression Plates

2 mm Dynamic Compression Plates

2.4 mm Dynamic Compression Plates


2.7 mm Dynamic Compression Plates

3.5 mm Dynamic Compression Plates

4.5 mm Narrow Dynamic Compression Plates

4.5 mm Broad Dynamic Compression Plates

available in **Titanium** & **SS 316L**



Dynamic Compression Plates

PROFILE

Items	2 mm Plate	2.4 mm Plate	2.7 mm Plate	3.5 mm Plate	4.5 mm Narrow Plate	4.5 mm Broad Plate
Thickness	2	2.5	2.5	3.5	4	5
Width	6	7	8	10	12	16
Hole Spacing	6	7	8	12	16	16
Centre Hole Spacing	8	10	12	16	25	25
Screw	2 mm cortical	2.4 mm cortical	2.7 mm cortical	3.5 mm cortical	4.5 mm cortical	4.5 mm cortical

CODES

	SS Codes					
Holes	2 mm	2.4 mm	2.7 mm	3.5 mm	4.5 mm Narrow	4.5 mm Broad
4	DCP01S	DCP11S	DCP21S	DCP31S	DCP41S	DCP51S
5	DCP02S	DCP12S	DCP22S	DCP32S	DCP42S	DCP52S
6	DCP03S	DCP13S	DCP23S	DCP33S	DCP43S	DCP53S
7	DCP04S	DCP14S	DCP24S	DCP34S	DCP44S	DCP54S
8	DCP05S	DCP15S	DCP25S	DCP35S	DCP45S	DCP55S
10	DCP06S	DCP16S	DCP26S	DCP36S	DCP46S	DCP56S
12	DCP07S	DCP17S	DCP27S	DCP37S	DCP47S	DCP57S
14	DCP08S	DCP18S	DCP28S	DCP38S	DCP48S	DCP58S
16	DCP09S	DCP19S	DCP29S	DCP39S	DCP49S	DCP59S
18	DCP10S	DCP20S	DCP30S	DCP40S	DCP50S	DCP60S

	Titanium Codes					
Holes	2 mm	2.4 mm	2.7 mm	3.5 mm	4.5 mm Narrow	4.5 mm Broad
4	DCP01T	DCP11T	DCP21T	DCP31T	DCP41T	DCP51T
5	DCP02T	DCP12T	DCP22T	DCP32T	DCP42T	DCP52T
6	DCP03T	DCP13T	DCP23T	DCP33T	DCP43T	DCP53T
7	DCP04T	DCP14T	DCP24T	DCP34T	DCP44T	DCP54T
8	DCP05T	DCP15T	DCP25T	DCP35T	DCP45T	DCP55T
10	DCP06T	DCP16T	DCP26T	DCP36T	DCP46T	DCP56T
12	DCP07T	DCP17T	DCP27T	DCP37T	DCP47T	DCP57T
14	DCP08T	DCP18T	DCP28T	DCP38T	DCP48T	DCP58T
16	DCP09T	DCP19T	DCP29T	DCP39T	DCP49T	DCP59T
18	DCP10T	DCP20T	DCP30T	DCP40T	DCP50T	DCP60T

Locking Acetabular Plates

2 mm Locking Acetabular Plates

2.4 mm Locking Acetabular Plates

2.7 mm Locking Acetabular Plates

3.5 mm Locking Acetabular Plates

available in **Titanium**



CODES | PROFILE

Size	Holes	thickness x width x length	Codes
2 mm	4	2 x 4 x 28 mm	LAP20
2.4 mm	6	2.5 x 5 x 38 mm	LAP24
2.7 mm	6	2.5 x 7 x 52 mm	LAP27
3.5 mm	6	3 x 10 x 60 mm	LAP35

Toggle Pins / Suture Buttons

Toggle Pins

available in **Titanium**



Size (mm)	Hole Dia (mm)	Length (mm)	TI (codes)
3	1.2	10	TGP1
3.5	1.5	15	TGP2
4	2	20	TGP3

Suture Buttons Type 1 (ACL Endo Button)

available in **Titanium**



Thickness : 2 mm
Width : 6 mm
length : 10 mm
hole dia : 2.5 mm



Thickness : 2 mm
Width : 4 mm
length : 10 mm
hole dia : 1.5 mm



Thickness : 2 mm
Width : 5 mm
length : 16 mm
first & last hole dia : 1.5 mm
two middle hole dia : 2 mm

Suture Buttons Type 2

available in **Titanium**



Thickness : 2 mm
Width : 5 mm
length : 10 mm

Veterinary Nails Straight

6/ 7/ 8 mm Veterinary Nails Straight

Nail Length 250 mm

Nail can cut according to required length

3.4 mm Screws are used

available in **Titanium** & **SS 316L**

3.4 mm Nail Screws



Veterinary Nails Angled

7/ 8/9 mm Veterinary Nails Angled

Nail Length

140 / 160 / 180 / 200 / 220 / 240/ mm

3.4 mm Screws are used

available in **Titanium** & **SS 316L**

3.4 mm Nail Screws






Locking Screws

2 / 2.4 / 2.7 / 3.5 / 5 mm Locking Self Tapping Screws

Any length can be manufacture

available in **Titanium** & **SS 316L**

2 mm Locking Cortical Screws



Cortical Screws

2 / 2.4 / 2.7 / 3.5 / 4.5 mm Cortical Screws

Any length can be manufacture

available in **Titanium** & **SS 316L**

2 mm Locking Cortical Screws




Cancellous Screws

3.5 / 4 / 6.5 mm Cancellous Screws

Any length can be manufacture

available in **Titanium** & **SS 316L**

3.5 mm Cancellous Screws




PolyAxial Screws

2 / 2.7 / 3.5 / 4.5 / 5.5 mm Spine Screws

available in **Titanium**

Length (mm): 14 mm - 60 mm

MonoAxial Screws



Screw box for locking Screws



Screw box for cortical screws



Sets

